

Section 1. Identification

Product identifier : Smart Nutrition[™] MAP + MST[®] 9-43-0

SDS # : 246

Other means of identification

Synonyms : None identified.

Product code(s) : **MAPMST**

Product type : Solid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Fertilizer.

Supplier's details : PCS Sales (USA), Inc. (A Subsidiary of Nutrien Ltd.)
1101 Skokie Blvd.
Suite 500
Northbrook, IL 60062

PCS Sales (Canada), Inc. (A Subsidiary of Nutrien Ltd.)
Suite 500
122 1st Avenue South
Saskatoon, Saskatchewan Canada S7K 7G3

Company phone number (North America):
1-800-524-0132 (Customer Service)

sds@nutrien.com - www.nutrien.com

Emergency telephone number (with hours of operation) : Nutrien North American
24 HOUR EMERGENCY TELEPHONE NUMBERS:

English:
Transportation Emergencies: 1-800-792-8311
Medical Emergencies: 1-303-389-1653

French or Spanish:
Transportation or Medical Emergencies: 1-303-389-1654

Section 2. Hazard identification

Classification of the substance or mixture : SKIN IRRITATION - Category 2
EYE IRRITATION - Category 2B

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : Causes skin and eye irritation.

Precautionary statements

Date of issue/Date of revision : 3/3/2020

Date of previous issue : 6/5/2019

Version : 1.1

1/14

Section 2. Hazard identification

| | |
|--|---|
| General | : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. |
| Prevention | : Wear protective gloves. Wash hands thoroughly after handling. |
| Response | : IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |
| Storage | : Not applicable. |
| Disposal | : Not applicable. |
| Supplemental label elements | : None known. |
| Other hazards which do not result in classification | : Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. |

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

| Ingredient name | % (w/w) | CAS number |
|------------------------|-------------|------------|
| Monoammonium phosphate | 67 - 72 | 7722-76-1 |
| lp:5fg:7sn | 13.3 - 18.5 | 7704-34-9 |
| Ammonium sulfate | 1 - 2 | 7783-20-2 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

| | |
|---------------------|---|
| Eye contact | : Begin eye irrigation immediately. Exposures to eye irritants may require medical evaluation following decontamination if pain or irritation persists. Immediately rinse eyes with large quantities of water or saline for a minimum of 15 minutes. If possible, remove contact lenses being careful not to cause additional eye damage. If the initial water supply is insufficient, keep the affected area wet with a moist cloth and transfer the person to the nearest place where rinsing can be continued for the recommended length of time. For additional advice call the medical emergency number on this SDS or your poison center or doctor. |
| Inhalation | : Remove person to fresh air. No known significant effects. Seek medical attention for any signs of wheezing and/or breathing difficulties. For additional advice call the medical emergency number on this SDS or your poison center or medical provider. |
| Skin contact | : Causes skin irritation. Adverse effects may be delayed up to 24 hours after exposure. Wash with soap and water. Take off contaminated clothing and gloves and wash them to remove contamination, including the inside, before reuse. If skin irritation occurs, get medical advice/attention. |
| Ingestion | : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. |

Most important symptoms/effects, acute and delayed

Potential acute health effects

Date of issue/Date of revision : 3/3/2020 **Date of previous issue** : 6/5/2019 **Version** : 1.1 2/14

Section 4. First-aid measures

- Eye contact** : Causes eye irritation. Adverse effects may be delayed up to 24 hours after exposure.
- Inhalation** : No known significant effects or critical hazards. May cause irritation due to mechanical action.
- Skin contact** : Causes skin irritation. Adverse effects may be delayed up to 24 hours after exposure.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : No specific data. May cause slight transient irritation.
- Skin contact** : Adverse symptoms may include the following:
irritation
redness
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. If: gbs0:7sn
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. Mouth-to-mouth resuscitation of oral exposure patients is not recommended. First-aiders with contaminated clothing should be properly decontaminated.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Not considered to be flammable. Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

Specific hazards arising from the chemical : No specific fire or explosion hazard.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
Ammonia
nitrogen oxides
sulfur oxides

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Remark : Contain and collect the water used to fight the fire for later treatment and disposal.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused adverse impacts (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Recover the material and use it for the intended purpose.
or
Place spilled material in an appropriate container for disposal. Dispose of via a licensed waste disposal contractor.
- Large spill** : Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Use appropriate equipment to put the spilled substance in a container for reuse or disposal. Recycle to process, if possible.
or
Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Do not ingest. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. May form steep piles that can collapse without warning when transported or stored in bulk. This may damage equipment and endanger workers. The risk of cliffing and sudden collapse increases if product is loaded or stored when hot or in high humidity conditions. Avoid forming steep slopes when removing product. If product has caked, cliffed, or has adhered to the storage or transport container, stay out of the potential engulfment zone in case the material collapses. Do not enter bins, railcars or trucks without conducting a risk assessment and following all confined space entry requirements. Ensure that consideration is given to fall protection and mobile equipment securement if applicable. Carefully loosen the set product from outside the container using mechanical vibration, sledge hammers, or other devices.

Ensure that bulk bags or smaller packaged products stored in tiers are stacked, racked, blocked, interlocked, or otherwise secured to prevent sliding, rolling, or collapse. Use caution when opening truck or railcar doors as product may have shifted during transport.

Must be stored in a dry location. Absorbs moisture on long-term storage under high humidity conditions. Store away from incompatible materials (see Section 10). When product is stored in sealable containers, keep container tightly closed and

Section 7. Handling and storage

sealed until ready for use. Sealable containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---|--|
| Canadian Regulations Monoammonium phosphate sulfur Calcium sulfate, dihydrate | CA Alberta Provincial: Particulates not otherwise regulated (PNOR) TWA (8 hours), Total dust: 10 mg/m ³ ; Respirable fraction: 3 mg/m ³ . CA Alberta Provincial (Canada, 4/2009). 8 hrs OEL: 10 mg/m ³ 8 hours. CA Alberta Provincial (Canada, 4/2009). 8 hrs OEL: 10 mg/m ³ 8 hours. CA Ontario Provincial (Canada, 1/2013). TWA: 10 mg/m ³ 8 hours. Form: Inhalable fraction |
| U.S. Federal Regulations Monoammonium phosphate, sulfur Calcium sulfate, dihydrate | OSHA (United States): Particulates not otherwise regulated (PNOR) TWA (8 hours), Total dust: 15 mg/m ³ ; Respirable fraction: 5 mg/m ³ . ACGIH TLV (United States, 4/2014). TWA: 10 mg/m ³ 8 hours. Form: Inhalable fraction |

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: sealed eyewear

Skin protection

- Hand protection** : The personal protective equipment required varies, depending upon your risk assessment. Recommended: Use chemical-resistant, impervious gloves. Contact your personal protective equipment manufacturer to verify the compatibility of the equipment for the intended purpose.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or cotton/synthetic overalls or coveralls are normally suitable. Contact your personal protective equipment manufacturer to verify the compatibility of the equipment for the intended purpose.

Section 8. Exposure controls/personal protection

- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Impervious rubber safety boots.
- Respiratory protection** : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Contact your personal protective equipment manufacturer to verify the compatibility of the equipment for the intended purpose.

Section 9. Physical and chemical properties

Appearance

- Physical state** : Solid. [Granular solid.]
- Color** : Brown
- Odor** : Odorless.
- Odor threshold** : Not available.
- pH** : 4 to 5 [Conc. (% w/w): 10%]
- Melting point** : 113°C (235.4°F)
- Boiling point** : Decomposition temperature: >190°C (>374°F)
- Flash point** : sulfur: 168°C (334°F)
- Evaporation rate** : Not applicable.
- Flammability (solid, gas)** : Non-flammable.
- Lower and upper explosive (flammable) limits** : Not applicable.
- Vapor pressure** : <0.13 kPa (<1 mm Hg) [room temperature]
- Vapor density** : Not applicable.
- Relative density** : ~2.2
Bulk density: Variable. 60 - 72 lbs/ft³; 961 - 1153 kg/m³
- Solubility** : Partially soluble in the following materials: cold water and hot water.
- Solubility in water** : Partially soluble in the following materials: cold water, hot water; ~328 g/l
- Partition coefficient: n-octanol/water** : <1
- Auto-ignition temperature** : Not applicable.
- Decomposition temperature** : >190°C (>374°F)
- Viscosity** : Not applicable.

Section 10. Stability and reactivity

- Reactivity** : May form pyrophoric iron sulfide if stored for long periods in contact with mild steel or iron in an oxygen deficient atmosphere. Do not enter storage areas or confined spaces unless adequately ventilated and tested.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : Absorbs moisture on long-term storage under high humidity conditions. Store in a well-ventilated, dry place. Protect from moisture. Keep away from incompatible materials.

Section 10. Stability and reactivity

Incompatible materials : May react or be incompatible with acids.
May react or be incompatible with alkalis.
Incompatible with halogens, hydrogen peroxide, chlorinated hydrocarbons, fluorine, nitric acid, oxidizing agents and sulfuric acid.
May be incompatible with some materials of construction. Contact your sales representative or a metallurgical specialist to ensure compatibility with your equipment.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------|-------------------------|-------------|----------|
| Monoammonium phosphate | LD50 Oral | Rat - Male, Female | >2000 mg/kg | - |
| sulfur | LD Oral | Rat | >8437 mg/kg | - |
| Ammonium sulfate | LD50 Oral | Mouse - Male, Female | 3040 mg/kg | - |
| | LD50 Oral | Rat | 2840 mg/kg | - |
| | LD50 Oral | Rat - Male, Female | >2000 mg/kg | - |

Conclusion/Summary : Very low toxicity to humans or animals. Based on available data, the classification criteria are not met.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|------------------------|---------|-------|----------|-------------|
| sulfur | Eyes | Rabbit | 0 | - | 72 hours |
| | Skin - Erythema/Eschar | Rabbit | 3 | 4 hours | 7 days |
| Ammonium sulfate | Skin | Rabbit | 0 | 20 hours | 24 hours |
| | Eyes | Rabbit | 0 | - | 72 hours |

Conclusion/Summary

Skin : Causes skin irritation.

Eyes : Causes eye irritation.

Respiratory : No known significant effects or critical hazards.

Sensitization

| Product/ingredient name | Route of exposure | Species | Result |
|-------------------------|-------------------|------------|-----------------|
| Ammonium sulfate | Skin | Guinea pig | Not sensitizing |

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Respiratory : No known significant effects or critical hazards.

Mutagenicity

| Product/ingredient name | Test | Experiment | Result |
|------------------------------------|--|--|----------|
| Ammonium dihydrogen orthophosphate | OECD 471 Bacterial Reverse Mutation Test | Experiment: In vitro Subject: Bacteria | Negative |
| Ammonium sulfate | OECD 476 | Experiment: In vitro Subject: Mammalian-Animal Cell: Somatic | Negative |
| | OECD 473 | Experiment: In vitro Subject: Mammalian-Animal Cell: Germ | Negative |

Section 11. Toxicological information

Conclusion/Summary : Not mutagenic in Ames test.

Carcinogenicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|------------------------|--------------------|------------|--------------------------|
| Ammonium sulfate | Negative - Oral - TCLo | Rat - Male, Female | 1288 mg/kg | 2 years; 7 days per week |

Conclusion/Summary : No known significant effects or critical hazards.

Reproductive toxicity

| Product/ingredient name | Maternal toxicity | Fertility | Development toxin | Species | Dose | Exposure |
|------------------------------------|-------------------|-----------|-------------------|----------------------|----------------------|----------|
| Ammonium dihydrogen orthophosphate | Negative | Negative | Negative | Rat - Male, Female | Oral: >1500 mg/kg | - |
| Ammonium sulfate | Negative | Negative | - | Mouse - Male, Female | Oral: 5000 mg/kg | - |

Conclusion/Summary : Not considered to be toxic to the reproductive system.

Teratogenicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|------------------------------------|-----------------|--------------------|-------------|----------|
| Ammonium dihydrogen orthophosphate | Negative - Oral | Rat - Male, Female | >1500 mg/kg | - |
| Ammonium sulfate | Negative - Oral | Rat - Male, Female | 1500 mg/kg | - |

Conclusion/Summary : No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Inhalation (dusts and mists)
Skin contact

Potential acute health effects

- Eye contact** : Causes eye irritation. Adverse effects may be delayed up to 24 hours after exposure.
- Inhalation** : No known significant effects or critical hazards. May cause irritation due to mechanical action.
- Skin contact** : Causes skin irritation. Adverse effects may be delayed up to 24 hours after exposure.
- Ingestion** : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : No specific data. May cause slight transient irritation.
- Skin contact** : Adverse symptoms may include the following:
irritation
redness

Section 11. Toxicological information

Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : See above.

Potential delayed effects : See above.

Long term exposure

Potential immediate effects : See above.

Potential delayed effects : See below.

Potential chronic health effects

Conclusion/Summary : No known significant effects or critical hazards.

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|------------------------------------|-----------------------------------|--|----------|
| Ammonium dihydrogen orthophosphate | Acute EC50 >97.1 mg/l | Aquatic plants | 72 hours |
| Ammonium sulfate | Acute LC50 1790 mg/l Fresh water | Daphnia | 72 hours |
| | Acute LC50 >85.9 mg/l Fresh water | Fish | 96 hours |
| | Acute LC50 2.6 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Young | 48 hours |
| | Acute LC50 14000 µg/l Fresh water | Daphnia - Daphnia magna - Young | 48 hours |
| | Acute LC50 53 mg/l | Fish - Oncorhynchus mykis | 96 hours |

Conclusion/Summary : May be harmful to the environment if released in large quantities. Excessive nutrient runoff to a body of water may result in eutrophication.

Persistence and degradability

Conclusion/Summary : Not persistent.

Bioaccumulative potential

| Product/ingredient name | LogP _{ow} | BCF | Potential |
|------------------------------------|--------------------|-----|-----------|
| Ammonium dihydrogen orthophosphate | <1 | - | low |

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Recycle to process, if possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Section 14. Transport information

| | TDG Classification | DOT Classification | Mexico Classification | IMDG | IATA |
|-----------------------------------|---|-------------------------------|----------------------------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - | - | - |
| Transport hazard class(es) | - | - | - | - | - |
| Packing group | - | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. | No. |
| Additional information | Classification per the current revision, Transportation of Dangerous Goods Regulation, Part 2, Sec 2.3. | - | - | - | - |

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

Canadian lists

Canadian NPRI : The following components are listed: Total of ammonia (NH₃ — CAS RN 7664-41-7) and the ammonium ion (NH₄⁺ — CAS RN 14798-03-9) in solution, expressed as ammonia.

CEPA Toxic substances : None of the components are listed.

Canada inventory : All components are listed or exempted.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Section 15. Regulatory information

Not listed.

[Stockholm Convention on Persistent Organic Pollutants](#)

Not listed.

[Rotterdam Convention on Prior Informed Consent \(PIC\)](#)

Not listed.

[UNECE Aarhus Protocol on POPs and Heavy Metals](#)

Not listed.

[Inventory list](#)

| | |
|-----------------------------------|---|
| Australia | : All components are listed or exempted. |
| China | : All components are listed or exempted. |
| Europe | : All components are listed or exempted. |
| Japan | : Japan inventory (ENCS) : All components are listed or exempted. Japan inventory (ISHL) : Not determined. |
| Malaysia | : Not determined |
| New Zealand | : All components are listed or exempted. |
| Philippines | : All components are listed or exempted. |
| Republic of Korea | : All components are listed or exempted. |
| Taiwan | : All components are listed or exempted. |
| Turkey | : Not determined. |

| | |
|--|--|
| U.S. Federal Regulations | : TSCA 8(a) CDR Exempt/Partial exemption : Not determined TSCA 8(b) Active inventory : TSCA 8(b) Active inventory : This material is listed or exempted. |
|--|--|

[Clean Air Act Section 112 \(b\) Hazardous Air Pollutants \(HAPs\)](#) : Not listed.

[Clean Air Act Section 602 Class I Substances](#) : Not listed.

[Clean Air Act Section 602 Class II Substances](#) : Not listed.

[DEA List I Chemicals \(Precursor Chemicals\)](#) : Not listed.

[DEA List II Chemicals \(Essential Chemicals\)](#) : Not listed.

[SARA 302/304 Composition/information on ingredients](#)

[SARA 304 RQ](#) : Not applicable.

[SARA 311/312](#)

[Classification](#) : Not applicable.

[Composition/information on ingredients](#)

| Name | % | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard. |
|--------|----|-------------|----------------------------|----------|---------------------------------|----------------------------------|
| sulfur | 15 | No. | No. | No. | Yes. | No. |

[SARA 313](#)

Section 15. Regulatory information

| | Product name | CAS number | % |
|--|---|------------------------------------|--|
| Form R - Reporting requirements | Ammonium sulfate and Monoammonium Phosphate, MAP: Aqueous ammonia from water dissociable ammonium salts and other sources; 10 percent of total aqueous ammonia is reportable under this listing | See Sections 3 and 15 for details. | Refer to: Section 3. Composition/ information on ingredients |
| Supplier notification | Ammonium sulfate and Monoammonium Phosphate, MAP: Aqueous ammonia from water dissociable ammonium salts and other sources; 10 percent of total aqueous ammonia is reportable under this listing | See Sections 3 and 15 for details. | Refer to: Section 3. Composition and ingredient information |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

- Massachusetts** : The following components are listed: sulfur; Ammonium sulfate
- New York** : None of the components are listed.
- New Jersey** : The following components are listed: sulfur
- Pennsylvania** : The following components are listed: sulfur; Sulfuric acid diammonium salt
- California Prop. 65** : Not applicable – This product is not registered for sale into the State of California and has not been evaluated for Prop 65 notification requirements.

Section 16. Other information

History

- Date of issue/Date of revision** : 3/3/2020
- Date of previous issue** : 6/5/2019
- Version** : 1.1

Indicates information that has changed from previously issued version.
A new product.

Key to abbreviations

- : ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 UN = United Nations
 HPR = Hazardous Products Regulations

Procedure used to derive the classification

| Classification | Justification |
|--|--|
| SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2B | Weight of evidence Weight of evidence |

References

- : Transportation of Dangerous Goods Act and Clear Language Regulations, current edition at time of SDS preparation, Transport Canada;
 Hazardous Products Act and Regulations, current revision at time of SDS preparation, Health Canada;
 Domestic Substances List, current revision at time of SDS preparation, Environment Canada;
 29 CFR Part 1910, current revision at time of SDS preparation, U.S. Occupational Safety and Health Administration;
 40 CFR Parts 1-799, current revision at time of SDS preparation, U.S.

Date of issue/Date of revision : 3/3/2020 **Date of previous issue** : 6/5/2019 **Version** : 1.1 12/14

Section 16. Other information

Environmental Protection Agency;
 49 CFR Parts 1-199, current revision at time of SDS preparation, U.S. Department of Transport;
 Mexican Official Standard NOM-018-STPS-2015, Harmonised System for the Identification and Communication of Hazards and Risks by Hazardous Chemicals in the Workplace;
 NORMA Oficial Mexicana NOM-010-STPS-2014, Agentes químicos contaminantes del ambiente laboral-Reconocimiento, evaluación y control.
 Mexican Official Standard NOM-002-SCT / 2011, List of the most commonly transported hazardous substances and materials;
 Threshold Limit Values for Chemical Substances, current edition at time of SDS preparation, American Conference of Governmental Industrial Hygienists;
 NFPA 400, National Fire Codes, National Fire Protection Association, current edition at time of SDS preparation;
 NFPA 704, National Fire Codes, National Fire Protection Association, current edition at time of SDS preparation;
 Corrosion Data Survey, Sixth Edition, 1985, National Association of Corrosion Engineers;
 ERG 2016, Emergency Response Guidebook, U.S. Department of Transport, Transport Canada, and the Secretariat of Transportation and Communications of Mexico
 Hazardous Substances Data Bank, current revision at time of SDS preparation, National Library of Medicine, Bethesda, Maryland
 Integrated Risk Information System, current revision at time of SDS preparation, U.S. Environmental Protection Agency, Washington, D.C.
 Pocket Guide to Chemical Hazards, current revision at time of SDS preparation, National Institute for Occupational Safety and Health, Cincinnati, Ohio ;
 Agency for Toxic Substances and Disease Registry Databank, current revision at time of SDS preparation, U.S. Department of Health and Human Services, Atlanta, Georgia
 National Toxicology Program, Report on Carcinogens, Division of the National Institute of Environmental Health Sciences, Research Triangle Park, North Carolina.
 Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health, Cincinnati, Ohio
 California Code of Regulations, Title 27, Div 4, Chapter 1, Proposition 65 Aug 30, 2018 rev and current updates

[Notice to reader](#)

Supply chain partners must ensure they pass this SDS, and all other relevant safety information to their customers.

DISCLAIMER AND LIMITATION OF LIABILITY

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. HOWEVER, THE INFORMATION AND RECOMMENDATIONS ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS. This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose.

FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE

Section 16. Other information

USE OF THE MATERIAL.
